**A**nthrax
**V**accine
**I**mmunization
**P**rogram

# Individual Briefing

## Post – EUA
## Continuation Policy

19 Dec 05

# History of AVIP

- Secretary of Defense ordered the AVIP in Dec 97
- Vaccinations began in Southwest Asia in Mar 98
- Vaccinations began in Korea in Aug 98
- Slowdowns in 2000-01. After supply restored, program resumed 2002
- Injunction issued October 2004
- FDA issues Emergency Use Authorization (EUA) January 2005
- FDA formally concludes Anthrax Vaccine is effective regardless of route of exposure, 19 DEC 2005
- DoD leadership is reviewing the Final Order
- For now, Anthrax vaccinations continue as during EUA: same people, voluntary basis

# Anthrax Spores

- Highly lethal – Inhaling spores can kill 99% of unprotected, unvaccinated, untreated people
- Extremely stable - withstands harsh conditions, remains inactive for up to 50 years
- Resists heat, ultraviolet light, gamma radiation, bleach
- Easily weaponized and deployed – bombs, missiles, mailed packages, aerosols
- Colorless, odorless, difficult to detect
- At least 7 potential adversaries suspected of researching, developing, or weaponizing anthrax
- You can be infected and not know it, until it’s too late.

# Largest Human Outbreak of Anthrax

- Sverdlovsk, USSR, 1979
- Anthrax spores accidentally released from a military microbiology facility
- 77 people infected
- 66 of these people died (86% death rate)
- Most victims worked or lived within 4-kilometer zone south of the city
  - Investigators concluded anthrax spores spread where the wind blew

# Lethal Case of Inhalation Anthrax



# Lethal Case of Inhalation Anthrax



# Letter with Anthrax Spores, Fall 2001



# October 2001 Anthrax Attacks

- Several letters containing anthrax spores sent in mail
- 4 regions affected in US
  - Florida
  - New York / New Jersey
  - Washington, DC, metropolitan area
  - Connecticut
- Additional contamination of other postal facilities
- Nationwide effects
- 22 people infected:
  - 11 inhalation cases, 5 died (45% death rate)
  - 11 cutaneous (skin) cases, 7 confirmed cases (including a baby), plus 4 suspected cases
- Over 33,000 people given antibiotics

# Timeline of Anthrax Postal Attacks

- 4 Oct 01. American Media Inc. (AMI) photo editor diagnosed with inhalation anthrax. He died the next day.
- 16 Oct 01. Without knowing they had been exposed, four Washington area postal workers developed inhalation anthrax symptoms. Two died. The Brentwood postal facility is now named the Curseen-Morris Processing & Distribution Center in their memory.
- 25 Oct 01. A hospital supply worker in New York City with no obvious exposure becomes ill. She died 5 days later from inhalation anthrax.
- 14 Nov 01. A 94-year-old woman in rural Connecticut with no obvious exposure becomes ill. Diagnosis: inhalation anthrax. She died 1 week later.

# First Anthrax Case of 2001

- October 2, 2001, 63-year-old photo editor wakes up nauseous, vomiting and confused
- Taken to emergency room for evaluation
  - High fever, increased heart rate, normal blood pressure and breathing
- Chest X-ray showed enlarged chest cavity
- Anthrax bacteria detected in blood
- Patient admitted to hospital, starts antibiotic therapy
  - Seizures shortly after admission
  - Chest tubes used to help breathing
  - Antibiotics continued on day 2
  - Patient unresponsive, condition worsened
- October 5, 2001, patient died

# Chest X-Ray in Anthrax



**Normal Chest X-ray**

Florida photo editor who died 5 October 2001



**Chest X-ray of Inhalation Anthrax Victim**

# Anthrax Vaccine Facts

- Manufactured by BioPort Corporation in Lansing, Michigan
- A study in mill workers showed anthrax vaccine was 92.5% effective in preventing anthrax cases (including both cutaneous and inhalation anthrax)
- Each vaccine lot is okayed by FDA before shipment
- No other product is approved by FDA to prevent anthrax before exposure



# Anthrax Vaccine Safety

- **Over 1.3 million people vaccinated with over 5.3 million doses**
- **Injection-site reactions common:**
  - 30% of men, 60% of women have injection-site reactions
  - Burning, soreness, redness, itching, swelling, or pain
- **Systemic symptoms (beyond injection site):**
  - 5% to 35% of both genders
  - Muscle or joint aches, headaches, rashes, chills, mild fever, fatigue, swelling may extend below elbow
- **Acute allergic reactions after any vaccine, 1 in 100,000 doses**
- **The risk of any vaccine causing serious harm or death is**

# Exemptions from Vaccination

- **Some people should not get anthrax vaccine.**
- **Temporary medical exemptions include:**
  - Women who are pregnant, or might be pregnant
  - Acute diseases, surgery
  - Short-term immune suppression
  - Medical evaluation or condition pending
- **Permanent exemptions can include:**
  - Severe allergic reaction or other serious reaction after a previous dose of anthrax vaccine
  - People with a possible history of latex sensitivity
  - HIV infection or other chronic immune deficiencies
  - People who had Guillain-Barré syndrome (GBS)
  - Recovery from previous anthrax infection

# Adverse Event Reporting

- **Vaccine Adverse Event Reporting System (VAERS):**
  - FDA and CDC review 100% of adverse-event reports
  - All VAERS forms reviewed by independent panel of expert civilian physicians for 4 years
- **DoD <u>requires</u> healthcare workers submit a VAERS Form for:**
  - Loss of duty 24 hours or longer (≥ 1 duty day)
  - Hospitalization
  - Suspected vaccine vial contamination
- **Other submissions are <u>encouraged</u>.**
- **<u>Anyone</u> can submit a VAERS Form !**
- **VAERS Forms may be obtained from:**
  - Your clinic, 1-800-822-7967, or www.vaers.org

# Reserve Component Adverse Events

- **Adverse events after DoD- or USCG-directed vaccinations are line-of-duty conditions**
- **Someone with an adverse event in a non-duty status possibly associated to any vaccination:**
  - Seek medical evaluation at a DoD, USCG, or civilian medical treatment facility, if necessary
  - Report the event to your unit commander or designated representative as soon as possible
  - Consider VAERS submission
- **Commander will determine Line of Duty and/or Notice of Eligibility status, if required**

# Key Messages

- Your health and safety are our #1 concern.
- The threat from anthrax spores is deadly and real.
- America's best scientists say anthrax vaccine protects and is safe.
- Vaccination protects you, your unit, and your mission.
- We strongly recommend anthrax vaccination to keep you healthy.

# For More Information

- Military Vaccine (MILVAX) Agency
  - Website: www.anthrax.mil www.vaccines.mil
  - Toll-Free: 877.GET.VACC
  - E-Mail: vaccines@amedd.army.mil

- For clinical consultation or exemption assistance
  - DoD Vaccine Clinical Call Center: 866.210.6469
  - Website: www.vhcinfo.org
  - E-Mail: askVHC@amedd.army.mil

- CDC National Immunization Hotline
  - Website: www.bt.cdc.gov